

Data Dictionary

This Data Dictionary provides reference information for data elements in the EdSight Dimensional data model, sorted by Table Name. The EdSight Data Model includes an Operational Data Store (ODS) at the relational level and a Logical Data Store (LDS) at the dimensional level. Reports in EdSight are based on data in the LDS. Please note that inclusion in this dictionary does not imply that such data fields are populated. Updates will be provided as they occur.

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
AssessmentDemogDim	1	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key
AssessmentDemogDim	2	CollectionInstanceId	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
AssessmentDemogDim	3	RptngDistrict_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
AssessmentDemogDim	4	Fac1School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
AssessmentDemogDim	5	NexusDistrict_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
AssessmentDemogDim	6	Fac2School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
AssessmentDemogDim	7	GradeLevelCode	varchar	3	0	Grade level that the student entered this set of organization relationships. Grade levels offered by educational institutions. [CEDS Elements: Entry Grade Level (000100)]	[CEDS Elements: Entry Grade Level (000100)]
AssessmentDemogDim	8	RaceEthnicityCode	char	1	0	Race or ethnicity information from the assessment data.	Not mapped to CEDS elements
AssessmentDemogDim	10	GenderCode	char	1	0	From assessment information, indication of the student's gender.	Not mapped to CEDS elements
AssessmentDemogDim	11	FreeReducedLunchCode	char	1	0	From assessment information, the indication of whether the student received free or reduced lunch services.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
AssessmentDemogDim	12	SpecialEdCode	char	1	0	From assessment information, indicates whether the student has an Individual Development Plan (IDP).	Not mapped to CEDS elements
AssessmentDemogDim	13	ELLStatusFlag	bit	1	1	Indication from assessment data that indicates whether the student participated in an English Language Learner (ELL) program.	Not mapped to CEDS elements
AssessmentDemogDim	14	ELLExemptFlag	bit	1	1	Indicates whether the student was exempt from ELL.	Not mapped to CEDS elements
AssessmentDemogDim	15	AttendSameSchoolFlag	bit	1	1	Indicates whether the student attended the same school since October 1.	Not mapped to CEDS elements
AssessmentDemogDim	16	AttendSameDistrictFlag	bit	1	1	Indicates whether the student attended the same district since October 1.	Not mapped to CEDS elements
AssessmentDemogDim	17	MASReadingFlag	bit	1	1	Indicates whether the student took MAS reading test.	Not mapped to CEDS elements
AssessmentDemogDim	18	MASMathFlag	bit	1	1	indicates whether the student took MAS math test.	Not mapped to CEDS elements
AssessmentDemogDim	19	SCLFlag	bit	1	1	Indicates whether the student took skill checklist test.	Not mapped to CEDS elements
AssessmentDemogDim	21	AttemptednessIndicator	char	1	0	Indicates whether the student attempted taking the assessment. Shown as P (Participant), N (Non-Participant), Y (Attempted-Yes)	Not mapped to CEDS elements
AssessmentDemogDim	22	IsRecentlyArrivedEL	bit	1	1	EL Exempt per AIR Exemption File	Not mapped to CEDS elements
AssessmentDemogDim	23	RecentELYear	int	4	10	For recently-arrived English Learner students, indicates the number of years from the first registration entry date as compared against the 1st assessment window open date.	Not mapped to CEDS elements
AssessmentDemogDim	24	Sec504	bit	1	1	Student eligibility for services under section 504 of ADA.	Not mapped to CEDS elements
AssessmentDemogDim	25	IsMedicallyExempt	bit	1	1	Medically Exempt per AIR	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
AssessmentDemogDim	26	InCTonPartDate	bit	1	1	Indicates whether the student has a registration record on both the last day of the testing window and five school days before the CSDE designated last testable date.	Not mapped to CEDS elements
AssessmentDemogDim	27	IsCTAA	bit	1	1	Student is in the NCSC Exclusion list during the testing window and took an SB ELA or Math test.	Not mapped to CEDS elements
AssessmentDemogDim	28	IsInActiveFile	bit	1	1	Student is in the June PSIS Collection file.	Not mapped to CEDS elements
AssessmentDemogDim	29	IsInActiveFileSameDistr	bit	1	1	Student in June PSIS Collection file in the same district.	Not mapped to CEDS elements
AssessmentDemogDim	31	AssmtWasInCTOctober1	bit	1	1	Indicates that the student in the PSIS Freeze 1 on October 1st.	Not mapped to CEDS elements
AssessmentDemogDim	32	AssmtWasInDistrictOctober1	bit	1	1	Student in PSIS Freeze 1 on October 1st. For Students in Examinee File, this should be 1 if October 2014 PSIS Reporting District = Attending District Identifier. For Students not in Examinee File, this should be 1 if the October 1st PSIS Reporting District = June 12 Reporting District.	Not mapped to CEDS elements
AssessmentDemogDim	33	AssmtWasInFacilityOctober1	bit	1	1	Indicates that the student was in PSIS Freeze on October 1st. For Students in Examinee File, this should be 1 if October PSIS Facility 1 = Attending School Identifier. For Students not in Examinee File, this should be 1 if October PSIS Facility 1 = June 12 Reporting School.	Not mapped to CEDS elements
AssessmentDemogDim	34	IsExaminee	bit	1	1	Indicates whether the student was offered an exam.	Not mapped to CEDS elements
AssessmentFact	1	Assessment_SK	int	4	10	Surrogate key of the AssessmentDim table	Surrogate key of the AssessmentDim table
AssessmentFact	2	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key
AssessmentFact	3	CollectionInstancelid	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
AssessmentFact	4	RptngDistrict_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
AssessmentFact	5	Fac1School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
AssessmentFact	6	NexusDistrict_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
AssessmentFact	7	Fac2School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
AssessmentFact	8	AdministrStartDate_SK	int	4	10	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD
AssessmentFact	9	AdminstrEndDate_SK	int	4	10	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD
AssessmentFact	10	GradeLevelWhenAssessed_SK	int	4	10	Surrogate Key	Surrogate Key
AssessmentFact	12	BubbledInfoFlag	int	4	10	Indicates whether the student information on the test sheet was manually entered information (value=1) or pre-entered as pre-printed labels (value=2).	Not mapped to CEDS elements
AssessmentFact	15	NumberOfItemsPresented	int	4	10	Count of operational and field test items presented. (Note: for "partial" tests, this count may exceed the number of student responses.) For all tests, this count will equal the number of records in the item file for the student. This will count all items presented, including those that were subsequently dropped from the test and were not used for scoring.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
AssessmentFact	16	NumberOfResponses	int	4	10	The number of responses that are included with the Student Score Set. Responses are those items that were attempted (partially or fully answered) by the student and not necessarily the number of items in the sub test (which can be determined from the sub test object). [CEDS Element: Assessment Subtest Result Number of Responses, ID:001009]	Assessment Subtest Result Number of Responses, ID:001009]
AssessmentFact	17	NumberPaused	int	4	10	Number of times student paused the test.	Not mapped to CEDS elements
AssessmentFact	18	NumberPausedRet	int	4	10	Number of times student paused and returned within 20 minutes.	Not mapped to CEDS elements
AssessmentFact	19	Oprtnty	int	4	10	Test Opportunity Number	Not mapped to CEDS elements
AssessmentFact	20	AttemptednessIndicator	char	1	0	Indicates whether the student attempted the exam.	Not mapped to CEDS elements
AssessmentFact	21	PaperBarCode	varchar	15	0	Unique identifier of the paper test form used by the student in this assessment.	Not mapped to CEDS elements
AssessmentFact	22	RetestIndicator	bit	1	1	Indicates if this registration is for a retest (retake). Retest can occur if a student failed a prior attempt and is eligible to retake. Other retest scenarios also can occur. [CEDS Element: Assessment Registration Retest Indicator, ID:001016]	Assessment Registration Retest Indicator, ID:001016]
AssessmentFact	28	ScorePerfLvl_NUM	decimal	5	8	ScoreRaw_NUM	Not mapped to CEDS elements
AttendLocationTypeDim	1	AttendLocType_SK	int	4	10	Surrogate key for the AttendLocationTypeDim table.	Surrogate key for the AttendLocationTypeDim table.
AttendLocationTypeDim	2	AttendLocTypeCode	varchar	10	0	Short version of the AttendLocTypeName	Not mapped to CEDS elements
AttendLocationTypeDim	3	AttendLocTypeName	varchar	50	0	Name of the attendance location type.	Not mapped to CEDS elements
AttendLocationTypeDim	4	AttendLocTypeDesc	varchar	200	0	Description of the attendance location type.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
CollectionPSISFact	1	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key
CollectionPSISFact	2	DemogPSISCollection_SK	int	4	10	Surrogate key for CollectionStudntDemogDim table.	Surrogate key for CollectionStudntDemogDim table.
CollectionPSISFact	3	SnapshotDefId	int	4	10	Surrogate key for the SnapshotDef table.	Surrogate key for the SnapshotDef table.
CollectionPSISFact	4	RptngDistrict_SK	int	4	10	Surrogate key from the OrgDistrictDim table where the RefK12ResponsibilityType is "Reporting District".	Surrogate key from the OrgDistrictDim table where the RefK12ResponsibilityType is "Reporting District".
CollectionPSISFact	5	Fac1School_SK	int	4	10	Surrogate key of the OrgSchoolDim table where the RefK12ResponsibilityType is "Facility 1".	Surrogate key of the OrgSchoolDim table where the RefK12ResponsibilityType is "Facility 1".
CollectionPSISFact	6	NexusDistrict_SK	int	4	10	Surrogate key from the OrgDistrictDim table where RefK12ResponsibilityType = "Nexus District".	Surrogate key from the OrgDistrictDim table where RefK12ResponsibilityType = "Nexus District".
CollectionPSISFact	7	Fac2School_SK	int	4	10	Surrogate key of the OrgSchoolDim table for the Facility 2 organization.	Surrogate key of the OrgSchoolDim table for the Facility 2 organization.
CollectionPSISFact	8	Town_SK	int	4	10	Surrogate key for the TownDim table.	Surrogate key for the TownDim table.
CollectionPSISFact	9	AttendLocType_SK	int	4	10	Surrogate key for the AttenLocationTypeDim table.	Surrogate key for the AttenLocationTypeDim table.
CollectionPSISFact	10	GradeLevelCode	varchar	3	0	Grade level that the student entered this set of organization relationships. Grade levels offered by educational institutions. [CEDS Elements: Entry Grade Level (000100)]	[CEDS Elements: Entry Grade Level (000100)]
CollectionPSISFact	11	Fac1AttendanceDays	int	4	10	Specific to the facility attended at the time of reporting, the total number of instructional days a student has been present for the current school year.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
CollectionPSISFact	12	Fac1MembershipDays	int	4	10	Specific to the facility attended at the time of reporting, the total number of instructional days a student has been enrolled for the current school year.	Not mapped to CEDS elements
DateDim	1	Date_SK	int	4	10	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD
DateDim	2	CalendarDate	datetime	8	23	The US-form of the calendar date: MM/DD/YYYY	Not mapped to CEDS elements
DateDim	3	DayOfWeek	char	9	0	Day of the week: Monday, Tuesday etc.	Not mapped to CEDS elements
DateDim	4	WeekdayFlag	char	1	0	Is this day a weekday? Y/N	Not mapped to CEDS elements
DateDim	5	DayOfWeekNo	numeric	5	1	Day of the week 1-Sunday thru 7-Saturday	Not mapped to CEDS elements
DateDim	6	DayOfMonth	numeric	5	2	Day of month: 1, 2, 3 etc.	Not mapped to CEDS elements
DateDim	7	DayOfYear	numeric	5	3	Julian day: 1,2,3.....366	Not mapped to CEDS elements
DateDim	8	MonthName	char	9	0	Name of month: January, February etc.	Not mapped to CEDS elements
DateDim	9	MonthNumber	numeric	5	2	Number of the month 1-January thru 12-December	Not mapped to CEDS elements
DateDim	10	YearNumber	numeric	5	4	Year as a numeric: e.g. 2006	Not mapped to CEDS elements
DateDim	11	YearYYYY	char	4	0	Year as a string: e.g. '2006'	Not mapped to CEDS elements
DateDim	12	YearRange	char	7	0	School year range: e.g. 2006-2007	Not mapped to CEDS elements
DateDim	13	SchoolYearNumber	numeric	5	4	Numeric form of school year that this date corresponds to. e.g. 12/10/2005 = 2005 1/10/2006 = 2005 (same school year different calendar year)	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
DateDim	14	SchoolYearYYYY	char	4	0	Alpha form of school year that this date corresponds to. e.g. 12/10/2005 = 2005 1/10/2006 = 2005 (same school year different calendar year)	Not mapped to CEDS elements
DefCollection	2	CollectionDomain	varchar	20	0	Specifies the group against which data are being collected. Valid values include Students, Facilities, Staff and Other.	Not mapped to CEDS elements
DefCollection	3	CollectionName	varchar	60	0	Indicates the type of collection. Valid values include, but are not limited to PSIS, SEDAC, ED165, ED166, ED612 LAS Links	Not mapped to CEDS elements
DefCollectionGroup	1	CollectionGroupId	int	4	10	Unique identifier of a collection group.	Not mapped to CEDS elements
DefCollectionGroup	2	CollectionGroupName	varchar	100	0	A unique name used to describe a given group of collection instances.	Not mapped to CEDS elements
DefCollectionGroup	3	CollectionGroupDesc	varchar	500	0	Text that describes the purpose, rules, audience or other information pertaining to the collection group.	Not mapped to CEDS elements
DefCollectionGroupInstance	1	CollectionGroupInstanceId	int	4	10	Unique identifier for the collection group instance.	Not mapped to CEDS elements
DefCollectionGroupInstance	2	CollectionGroupId	int	4	10	Unique identifier of a collection group.	Not mapped to CEDS elements
DefCollectionGroupInstance	3	CollectionInstanceId	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
DefCollectionInstance	1	CollectionInstanceId	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
DefCollectionInstance	3	InstanceName	varchar	20	0	Name of the collection instance, e.g. "October", "Fall", "June", "End of Year" or other appropriate user-friendly value.	Not mapped to CEDS elements
DefCollectionInstance	4	FallOfYear	int	4	10	School year to which the collection instance applies.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
DefCollectionInstance	5	FreezeNumber	int	4	10	Specifies the version of the snapshot, e.g. PSIS Collection has "Freeze 1" and "Freeze 2". This value would indicate the number, 1 or 2, or the special case of FreezeNumber=0 which indicates the 'current' data which has not yet been frozen.	Not mapped to CEDS elements
DefCollectionInstance	6	FreezeDate	datetime	8	23	Last date by which all data and data changes must be submitted to CSDE.	Not mapped to CEDS elements
DefCollectionInstance	7	CollectionApprovedDate	datetime	8	23	Date the collection was approved for release.	Not mapped to CEDS elements
DefCollectionInstance	8	CollectionApprovedFlag	bit	1	1	Indicates whether the collection is approved for release.	Not mapped to CEDS elements
DefCollectionInstance	9	CollectionApprovedBy	varchar	50	0	Person that approved the collection for release to the data warehouse.	Not mapped to CEDS elements
DefCollectionInstance	10	LoadReadyFlag					
DefCollectionInstance	11	LoadCompleteFlag	bit	1	1	Indicates whether the warehouse loads have completed for this collection instance.	Not mapped to CEDS elements
DefCollectionInstance	12	IsPublicFlag	bit	1	1	Determines whether the freeze is to be viewed within public reporting outputs.	Not mapped to CEDS elements
DefCollectionInstance	13	LastUpdatedBy	varchar	50	0	The user id associated with the latest update to this row.	Not mapped to CEDS elements
DefSnapshot	1	SnapshotDefId	int	4	10	Surrogate key for the SnapshotDef table.	Surrogate key for the SnapshotDef table.
DefSnapshot	2	CollectionInstancelId	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
DefSnapshot	3	ReportingDistrictCode	char	10	0	Business key to OrgDistrictDim to indicate the snapshot definition parameters for that district.	Business key to OrgDistrictDim to indicate the snapshot definition parameters for that district.

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
DefSnapshot	4	SnapshotDate	datetime	8	23	The specific date of the snapshot for this collection, that is, the 'as of' date for these data. For end of school year collections, e.g. June this is actually the last day of school date.	Not mapped to CEDS elements
DefSnapshot	5	CertificationFlag	bit	1	1	Indicates whether the district has certified the collection for release.	Not mapped to CEDS elements
DefSnapshot	6	CertificationDate	datetime	8	23	Date that the collection has been certified by the district.	Not mapped to CEDS elements
DemogPSISCollectionDim	1	DemogPSISCollection_SK	int	4	10	Surrogate key for CollectionStudntDemogDim table.	Surrogate key for CollectionStudntDemogDim table.
DemogPSISCollectionDim	2	DemogPSISCollection_AK	varchar	900	0	Business key for the the CollectionStudntDemoDim table, a special field for internal use by the warehouse for identifying and managing unique combinations of the various student collection demographics values.	Business key for the the CollectionStudntDemoDim table, a special field for internal use by the warehouse for identifying and managing unique combinations of the various student collection demographic
DemogPSISCollectionDim	3	SpecialEducationFlag	bit	1	1	Indicates whether a student has an active IEP, and receives special education instruction as of the reporting period.	Not mapped to CEDS elements
DemogPSISCollectionDim	4	HomelessnessStatusFlag	bit	1	1	Persons who lack a fixed, regular, and adequate nighttime residence. Homeless children and youth include: 1) children and youth who are sharing the housing of other persons due to loss of housing, economic hardship, or a similar reason; are living in motels, hotels, trailer parks, or camping grounds due to the lack of alternative adequate accommodations; are living in emergency or transitional she	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
DemogPSISCollectionDim	5	HomelessCode	varchar	50	0	A code or abbreviation for the homelessness type.	Shorter version of the TYPE field for the DemogPSISCollectionDimtable
DemogPSISCollectionDim	6	HomelessType	varchar	50	0	The primary nighttime residence of the students at the time the students are identified as homeless. [CEDS Element: Homeless Primary Nighttime Residence, ID:000146]	Homeless Primary Nighttime Residence, ID:000146]
DemogPSISCollectionDim	7	LanguageCode	varchar	50	0	A code or abbreviation for the type.	Shorter version of the TYPE field for the DemogPSISCollectionDimtable
DemogPSISCollectionDim	8	LanguageName	varchar	50	0	The specific language or dialect that a person uses to communicate. [CEDS Element: Language Code, ID:000317]	Language Code, ID:000317]
DemogPSISCollectionDim	9	FreeReducedLunchFlag	bit	1	1	Indicates whether the student is eligible for free/reduced lunch.	Not mapped to CEDS elements
DemogPSISCollectionDim	10	FreeReducedLunchType	varchar	20	0	An indication of a student's participation in free, reduced price, full price breakfast, lunch, snack, supper, and milk programs. [CEDS Element: Participation in School Food Service Programs, ID:000325]	Participation in School Food Service Programs, ID:000325]
DemogPSISCollectionDim	11	ELLFlag	bit	1	1	Indicates whether the student participated in Title III (ELL) language instructional programs.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
DemogPSISCollectionDim	12	MigrantFlag	bit	1	1	Indicates a child who is, or whose parent or spouse is, a migratory agricultural worker (including a migratory dairy worker or a migratory fisher) and who has moved within the past 36 months across state or district boundaries to obtain, or accompany such parent or spouse in order to obtain, temporary or seasonal employment in agricultural or fishing work. (Supported under federal PL 107-110, Title	Not mapped to CEDS elements
DemogPSISCollectionDim	13	ELLProgramTypeCode	varchar	50	0	A code or abbreviation for the ELL Program Type Name.	Shorter version of the TYPE field for the DemogPSISCollectionDimtable
DemogPSISCollectionDim	14	ELLProgramTypeName	varchar	100	0	The type of Title III language instructional programs. (English Language Learner Program) [CEDS Element: Title III Language Instruction Program Type, ID:000447]	Title III Language Instruction Program Type, ID:000447]
DemogPSISCollectionDim	15	ELLProgramTypeDescription	varchar	500	0	Full description of the type of Title III language instructional program type (English Language Learner Program)	Not mapped to CEDS elements
DemogPSISCollectionDim	16	GiftedAndTalentedCode	varchar	50	0	Short version of the gifted and talented type.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
DemogPSISCollectionDim	17	GiftedAndTalentedType	varchar	100	0	Gifted: A child identified by the planning and placement team as gifted on the basis of either performance on relevant standardized measuring instruments, or demonstrated or potential achievement or intellectual creativity or both. Talented: A child identified by the planning and placement team as talented on the basis of demonstrated or potential achievement in music, the visual arts or the per	Not mapped to CEDS elements
DemogPSISCollectionDim	18	SpecialProgramStatusCode	varchar	20	0	Short version of the Special Program Status Type.	Not mapped to CEDS elements
DemogPSISCollectionDim	19	SpecialProgramStatusType	varchar	100	0	For a student's facility 1, special programs include Vocational Agriculture, OPEN Choice, Magnets, Interdistrict Cooperative Arrangements, Designated High School Arrangements, Bristol Technical Education Center (BTEC), Homebound, and Municipal Detention Center.	Not mapped to CEDS elements
DemogPSISCollectionDim	21	StudntEnrollNoLocalExpenseCode	varchar	50	0	Short version of the StuntEnrollNoLocalExpenseType	Not mapped to CEDS elements
DemogPSISCollectionDim	22	StudntEnrollNoLocalExpenseType	varchar	100	0	Indicates whether the student is enrolled at no local expense, and information about the funding source.	Not mapped to CEDS elements
DemogPSISCollectionDim	23	StudntEnrollNoLocalExpenseDescr	varchar	500	0	Full description for StudntEnrollNoLocalExpenseType	Not mapped to CEDS elements
DemogPSISCollectionDim	24	PreKProgramCode	varchar	50	0	A code or abbreviation for the Pre-K Program type.	Shorter version of the TYPE field for the DemogPSISCollectionDimtable
DemogPSISCollectionDim	25	PreKProgramType	varchar	100	0	The type of programs in which the child is enrolled. [CEDS Element: Early Childhood Enrollment Service Type, ID:000318]	Early Childhood Enrollment Service Type, ID:000318]

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
DemogPSISCollectionDim	26	PreKProgramDescription	varchar	500	0	Full text description of the PreKProgramType.	Not mapped to CEDS elements
DemogRaceEthnicityDim	1	DemogRaceEthnicity_SK	int	4	10	Surrogate key for the RaceEthnicityDim table.	Surrogate key for the RaceEthnicityDim table.
DemogRaceEthnicityDim	2	DemogRaceEnthnicity_AK	varchar	400	0	Unique string that serves as the business key for this table, containing the unique combinations of all columns.	Unique string that serves as the business key for this table, containing the unique combinations of all columns.
DemogRaceEthnicityDim	3	HispanicLatinoEthnicity	bit	1	1	An indication that the person traces his or her origin or descent to Mexico, Puerto Rico, Cuba, Central and South America, and other Spanish cultures, regardless of race. [CEDS Element: Hispanic or Latino Ethnicity, ID:000144]	Hispanic or Latino Ethnicity, ID:000144]
DemogRaceEthnicityDim	4	AmericanIndianOrAlaskanNative	int	4	10	Indication of whether the student is American Indian Or Alaskan Native	Not mapped to CEDS elements
DemogRaceEthnicityDim	5	Asian	int	4	10	Indication of whether the student is Asian	Not mapped to CEDS elements
DemogRaceEthnicityDim	6	BlackorAfricanAmerican	int	4	10	Indication of whether the student is Black or African American	Not mapped to CEDS elements
DemogRaceEthnicityDim	7	NativHawaiianOrOtherPacflsIslander	int	4	10	Indication of whether the student is Native Hawaiian or Other Pacific Islander	Not mapped to CEDS elements
DemogRaceEthnicityDim	8	White	int	4	10	Indication of whether the student is White	Not mapped to CEDS elements
DemogRaceEthnicityDim	9	RaceEthnReportingText	varchar	50	0	The text description of the selected ethnicity/race combination as used for federal reporting.	Not mapped to CEDS elements
DemogRaceEthnicityDim	10	EthnicityText	varchar	50	0	The text description of the selected Ethnicity.	Not mapped to CEDS elements
DemogRaceEthnicityDim	11	RaceText	varchar	150	0	A comma-separated list of the text descriptions of all the selected Races.	Not mapped to CEDS elements
DemogRaceEthnicityDim	12	SheffText	varchar	100	0	The text description of the selected ethnicity/race combination as used for Sheff analysis by the RSCO staff.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
DemogRaceEthnicityDim	13	LegacyRaceCode	varchar	2	0	A code used to represent a person's race prior to 07-01-2010.	Shorter version of the TYPE field for the DemogRaceEthnicityDimtable
DemogRaceEthnicityDim	14	LegacyRaceName	varchar	50	0	The name value associated to a person's race code, prior to 07-01-2010.	Not mapped to CEDS elements
DisciplineFact	1	Discipline_SK	int	4	10	Surrogate Key	Surrogate Key
DisciplineFact	2	CollectionInstancecd	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
DisciplineFact	3	ReportingDistrict_SK	int	4	10	Reporting district in which the offending student is a member.	Not mapped to CEDS elements
DisciplineFact	4	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
DisciplineFact	5	Student_SK	int	4	10	Foreign key to StudentDim table	Foreign key to StudentDim table
DisciplineFact	6	SAITN	bigint	8	19	Unique tracking number assigned to the incident by the State's Department of Education.	Not mapped to CEDS elements
DisciplineFact	7	IncidentDate	date	3	10	The date on which the incident occurred. [CEDS Element: Incident Date, ID:000502]	Incident Date, ID:000502]
DisciplineFact	8	IncidentTime	time	5	16	An indication of the time of day the incident took place. [CEDS Element: Incident Time, ID:000503]	Incident Time, ID:000503]
DisciplineFact	9	IncidentDescription	nvarchar	-1	0	The description for an incident. [CEDS Element: Incident Description, ID:000508]	Incident Description, ID:000508]
DisciplineFact	10	IncidentIdentifier	nvarchar	80	0	A locally assigned unique identifier (within the school or school district) to identify each specific incident or occurrence. The same identifier should be used to document the entire incident even if it included multiple offenses and multiple offenders. [CEDS Element: Incident Identifier, ID:000501]	Incident Identifier, ID:000501]

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
DisciplineFact	11	IncidentLocation	varchar	100	0	Identifies where the incident occurred and whether or not it occurred on campus. [CEDS Element: Incident Location, ID:000617]	Incident Location, ID:000617]
DisciplineFact	12	IncidentType1	nvarchar	200	0	Categories of behavior coded for use in describing an incident. [CEDS Element: Incident Behavior, ID:000509]	Incident Behavior, ID:000509]
DisciplineFact	13	IncidentType1Severity	int	4	10	Indication of the severity level of the incident (behavior) type.	Not mapped to CEDS elements
DisciplineFact	14	IncidentType1Map	varchar	50	0	Logical grouping of incident (behavior) types used by the Connecticut State Department of Education (CSDE).	Not mapped to CEDS elements
DisciplineFact	15	IncidentType2	varchar	100	0	Categories of behavior coded for use in describing an incident. [CEDS Element: Incident Behavior, ID:000509]	Incident Behavior, ID:000509]
DisciplineFact	16	IncidentType2Severity	int	4	10	Indication of the severity level of the incident (behavior) type.	Not mapped to CEDS elements
DisciplineFact	17	IncidentType2Map	varchar	50	0	Logical grouping of incident (behavior) types used by the Connecticut State Department of Education (CSDE).	Not mapped to CEDS elements
DisciplineFact	18	SubstanceType	varchar	100	0	Specifies the substance type associated with the incident, where use or sale of the substance is considered a violation of laws, district or school policy.	Not mapped to CEDS elements
DisciplineFact	19	WeaponType	varchar	100	0	Identifies the type of weapon used during an incident. [CEDS Element: Weapon Type, ID:001211]	Weapon Type, ID:001211]
DisciplineFact	20	BullyingIndicator	varchar	30	0	Indicates whether the incident was associated with repeated negative behaviors intended to frighten or discomfort.	Not mapped to CEDS elements
DisciplineFact	21	ArrestedFlag	bit	1	1	Indicates whether the student was arrested, regardless of whether the student was on or off school property at the time of the arrest.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
DisciplineFact	22	SchoolSponsoredActivityFlag	bit	1	1	Indicates whether the incident occurred during a school-sponsored activity, regardless of location or time of day.	Not mapped to CEDS elements
DisciplineFact	23	VictimOtherStudentFlag	bit	1	1	Indicates whether the incident involved any other student enrolled in a public or private school.	Not mapped to CEDS elements
DisciplineFact	24	VictimCertifiedStaffFlag	bit	1	1	Indicates whether the incident involved a certified staff member (teacher, counselor, administrator, etc.).	Not mapped to CEDS elements
DisciplineFact	25	VictimSubstituteTeacherFlag	bit	1	1	Indicates whether a substitute teacher was a victim of this incident.	Not mapped to CEDS elements
DisciplineFact	26	VictimOtherStaffFlag	bit	1	1	Indicates whether the incident involved other staff members (paraprofessional, support staff, cafeteria worker, custodial staff, bus driver, etc.).	Not mapped to CEDS elements
DisciplineFact	27	VictimNonSchoolFlag	bit	1	1	Indicates whether the incident involved a non-school person (parent, volunteer, contractor, non-student youth, etc.).	Not mapped to CEDS elements
DisciplineFact	28	SanctionTypePrimary	varchar	100	0	Identifies the consequences of an incident for the student(s) involved in an incident as perpetrator(s). [CEDS Element: Disciplinary Action Taken, ID:000488]	Disciplinary Action Taken, ID:000488]
DisciplineFact	29	SanctionTypeSecond	varchar	100	0	Identifies the consequences of an incident for the student(s) involved in an incident as perpetrator(s). [CEDS Element: Disciplinary Action Taken, ID:000488]	Disciplinary Action Taken, ID:000488]
DisciplineFact	30	EducationProvidedPrimary	varchar	50	0	The type of education the student received during their discipline.	Not mapped to CEDS elements
DisciplineFact	31	DaysSanctionedPrimary	int	4	10	Number of full or partial days the student was sanctioned for their primary incident.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
DisciplineFact	32	DaysServedPrimary	int	4	10	Number of full or partial days the student actually served of their sanctioned days for their primary incident.	Not mapped to CEDS elements
DisciplineFact	33	DaysCarryoverPrimary	int	4	10	The number of days a student's sanction for their primary offense is carried over to the next school year.	Not mapped to CEDS elements
DisciplineFact	34	EducationProvidedSecond	varchar	50	0	The type of education the student received during their discipline.	Not mapped to CEDS elements
DisciplineFact	35	DaysSactionedSecond	int	4	10	Number of full or partial days the student was sanctioned for their secondary incident.	Not mapped to CEDS elements
DisciplineFact	36	DaysServedSecond	int	4	10	Number of full or partial days the student actually served of their sanctioned days for their secondary incident.	Not mapped to CEDS elements
DisciplineFact	37	DaysCarryoverSecond	int	4	10	The number of days a student's sanction for their secondary offense is carried over to the next school year.	Not mapped to CEDS elements
DisciplineFact	38	ReferringParty	varchar	50	0	The type of person that referred a student to the group bringing sanctioning actions, e.g. discipline officer, teacher, behavior manager, bus driver, custodian, intern, office worker, etc.	Not mapped to CEDS elements
DisciplineFact	39	PartyTakingAction	varchar	50	0	The type of person taking implementing sanction actions, e.g. superintendent, principal, vice principal, discipline officer, etc.	Not mapped to CEDS elements
ED165Fact	1	CollectionInstancelid	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
ED165Fact	2	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
ED165Fact	3	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
ED165Fact	4	Metric_SK	int	4	10	Surrogate key for the MetricDim table.	Surrogate key for the MetricDim table.

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
ED165Fact	5	MetricValue	varchar	500	0	The measured value expressed as a character, even when the true data type is time, date, numeric, or other non-character data type.	Not mapped to CEDS elements
EdDirectoryFact	1	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
EdDirectoryFact	2	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
EdDirectoryFact	3	OrganizationAdminStaff_SK	int	4	10	Surrogate key for X_OrganizationAdminStaff table	Surrogate key for X_OrganizationAdminStaff table
EdDirectoryFact	4	Count	int	4	10	Default count value = 1 to be used for ease of aggregate functions	Not mapped to CEDS elements
EnrollmentEventFact	1	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key
EnrollmentEventFact	2	ReportingDistrict_SK	int	4	10	Surrogate key from the DistrictDim table where the responsibility type is Reporting.	Surrogate key from the DistrictDim table where the responsibility type is Reporting.
EnrollmentEventFact	3	Facility1_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
EnrollmentEventFact	4	EventDate_SK	int	4	10	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD	Unlike other surrogate keys, for performance reasons DATE_SK has embedded meaning. Format = YYYYMMDD
EnrollmentEventFact	5	EnrollmentEventTypeId	int	4	10	Surrogate key for the EnrollmentEventType table.	Surrogate key for the EnrollmentEventType table.
EnrollmentEventFact	6	NexusDistrict_SK	int	4	10	Surrogate key from the DistrictDim table where the responsibility type is Nexus.	Surrogate key from the DistrictDim table where the responsibility type is Nexus.
EnrollmentEventFact	7	Facility2_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
EnrollmentEventFact	8	Town_SK	int	4	10	Surrogate key for the TownDim table.	Surrogate key for the TownDim table.
EnrollmentEventFact	9	AttendLocType_SK	int	4	10	Surrogate key for the AttenLocationTypeDim table.	Surrogate key for the AttenLocationTypeDim table.

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
EnrollmentEventFact	10	ExitType_SK	int	4	10	Surrogate key for the ExitTypeDim table	Surrogate key for the ExitTypeDim table
EnrollmentEventFact	11	FacilityRegId	int	4	10	Registration ID from the PSIS source system for the Facility 1 registration event.	Not mapped to CEDS elements
EnrollmentEventFact	12	GradeLevelCode	varchar	3	0	Grade level that the student entered this set of organization relationships. Grade levels offered by educational institutions. [CEDS Elements: Entry Grade Level (000100)]	[CEDS Elements: Entry Grade Level (000100)]
EnrollmentEventFact	13	WithdrawalStatus	char	1	0	An indication as to whether an instance of student exit/withdrawal is considered to be of a permanent ('P') or temporary ('T') nature. [CEDS Element: Exit or Withdrawal Status, ID:000108]	Exit or Withdrawal Status, ID:000108]
EnrollmentEventFact	14	EventCount	int	4	10	A placeholder measure column with a static value of 1, to be used by aggregate reporting functions.	Not mapped to CEDS elements
EnrollmentEventFact	15	LoadedTs	datetime	8	23	Datetime this row was inserted to the table.	Not mapped to CEDS elements
EnrollmentEventTypeDim	1	EnrollmentEventTypeId	int	4	10	Surrogate key for the EnrollmentEventType table.	Surrogate key for the EnrollmentEventType table.
EnrollmentEventTypeDim	2	EventTypeCode	varchar	10	0	Unique code for the type of enrollment event.	Shorter version of the TYPE field for the EnrollmentEventTypeDim table
EnrollmentEventTypeDim	3	EventTypeName	varchar	50	0	User-friendly name for the type of enrollment event.	Not mapped to CEDS elements
EnrollmentEventTypeDim	4	EventTypeDesc	varchar	200	0	Description of the type of enrollment event.	Not mapped to CEDS elements
EnrollmentSummaryFact	1	SnapshotDefId	int	4	10	Surrogate key for the SnapshotDef table.	Surrogate key for the SnapshotDef table.
EnrollmentSummaryFact	2	ReportingDistrict_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
EnrollmentSummaryFact	3	Facility1_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
EnrollmentSummaryFact	4	NexusDistrict_SK	int	4	10	Surrogate key from the DistrictDim table where the responsibility type is Nexus.	Surrogate key from the DistrictDim table where the responsibility type is Nexus.
EnrollmentSummaryFact	5	Facility2_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
EnrollmentSummaryFact	6	Town_SK	int	4	10	Surrogate key for the TownDim table.	Surrogate key for the TownDim table.
EnrollmentSummaryFact	7	AttendLocType_SK	int	4	10	Surrogate key for the AttenLocationTypeDim table.	Surrogate key for the AttenLocationTypeDim table.
EnrollmentSummaryFact	8	DemogPSISCollection_SK	int	4	10	Surrogate key for CollectionStudntDemogDim table.	Surrogate key for CollectionStudntDemogDim table.
EnrollmentSummaryFact	9	DemogRaceEthnicity_SK	int	4	10	Surrogate key for the RaceEthnicityDim table.	Surrogate key for the RaceEthnicityDim table.
EnrollmentSummaryFact	10	GradeLevelCode	char	3	0	Grade level that the student entered this set of organization relationships. Grade levels offered by educational institutions. [CEDS Elements: Entry Grade Level (000100)]	[CEDS Elements: Entry Grade Level (000100)]
EnrollmentSummaryFact	11	SexCode	varchar	20	0	Short abbreviation indicating the sex of the student.	Not mapped to CEDS elements
EnrollmentSummaryFact	12	StudentCount	int	4	10	Count of students within this set of organization memberships.	Not mapped to CEDS elements
EnrollmentSummaryFact	13	Fac1AttendanceDays	int	4	10	Specific to the facility attended at the time of reporting, the total number of instructional days a student has been present for the current school year.	Not mapped to CEDS elements
EnrollmentSummaryFact	14	Fac1MembershipDays	int	4	10	Specific to the facility attended at the time of reporting, the total number of instructional days a student has been enrolled for the current school year.	Not mapped to CEDS elements
EnrollmentSummaryFact	15	LoadedTs	datetime	8	23	Datetime the record was inserted to the table.	Not mapped to CEDS elements
ExitTypeDim	1	ExitType_SK	int	4	10	Surrogate key for the ExitTypeDim table	Surrogate key for the ExitTypeDim table

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
ExitTypeDim	2	ExitTypeCode	varchar	50	0	Short version of the ExitTypeName	Not mapped to CEDS elements
ExitTypeDim	3	ExitTypeName	varchar	150	0	The circumstances under which the student exited from membership in an educational institution.	Not mapped to CEDS elements
FinanceFact	1	CollectionInstanceid	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
FinanceFact	2	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
FinanceFact	3	DistrGradeLevelType	varchar	20	0	Grades of District. Either 'PK-12' or 'Elementary'. From EXP_GRD in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	4	InstrStaffAndServices	int	4	10	Instructional staff and services. From TSTAFF_R in ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	5	InstrSuppliesAndEquip	int	4	10	Instructional Supplies and Equipment. From INSTR_R in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	6	MediaServices	int	4	10	Improvement of Instruction and Educational Media Services. From MEDIA_R in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	7	StudentSupportServices	int	4	10	Student Support Services. From STUD_R in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	8	AdminAndSupportServices	int	4	10	Administration and Support Services. From ADMIN_R in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	9	PlantOpsAndManagement	int	4	10	Plant Operation and Management. From EXP_PL1 in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	10	Transportation	int	4	10	Transportation. From EXP_TRA1 in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	11	StudentTuitionedOut	int	4	10	Cost for Students Tuitioned Out. From EXP_TUP1 in ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	12	Tution	int	4	10	Tuition Costs. From EXP_TUPA in ED001 finance summary file.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	ColLength	ColPrecision	ColumnDescription	CEDS_Element
FinanceFact	13	Other	int	4	10	Other. From EXP_SA1 in ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	14	LandBldngsAndDebt	int	4	10	Land, Buildings, and Debt Service. From EXPLBD1B in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	15	TotalExpNoTuition	int	4	10	Total of all expenses less Tuition. From TOTAL_R in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	16	TotalStudentsTuitionedOut	int	4	10	Total cost for students tuitioned out; Related to EXP_TUP1 (StudentTuitionedOut). From TOTALB_R in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	17	SpEdNonCertifiedStaff	int	4	10	Noncertified personnel expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	18	SpEdCertifiedStaff	int	4	10	Certified personnel expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	19	SpEdEmployeeBenefits	int	4	10	Employee benefits expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	20	SpEdPurchasedServices	int	4	10	Purchased services expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	21	SpEdTuition	int	4	10	Tuition expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	22	SpEdInstrSupplies	int	4	10	Instructional supplies expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	23	SpEdOtherSupplAndMat	int	4	10	Other supplies and materials expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	24	SpEdPropertyServices	int	4	10	Property services expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	25	SpEdTransportation	int	4	10	Transportation expenditures for special education reported by ED001.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
FinanceFact	26	SpEdEquipment	int	4	10	Equipment expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	27	SpEdAllOthers	int	4	10	All other expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	28	SpEdTotal	int	4	10	Total expenditures for special education reported by ED001.	Not mapped to CEDS elements
FinanceFact	29	DEPP_InstrStaffAndServices	int	4	10	Instructional Staff and Services Expenditures per Pupil at the district level as determined by the ED001 collection. From DSTAF_PP in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	30	DEPP_InstrSuppliesAndEquip	int	4	10	Instructional Supplies and Equipment District Expenditures per Pupil as determined by the ED001 collection. From INSTR_PP in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	31	DEPP_MediaServices	int	4	10	Improvement of Instruction and Educational Media Services District Expenditures per Pupil as determined by the ED001 collection. From MEDIA_PP in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	32	DEPP_StudentSupportServices	int	4	10	Student Support Services District Expenditures per Pupil as determined by the ED001 collection. From STUD_PP in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	33	DEPP_AdminAndSupportServices	int	4	10	Administration and Support Services District Expenditures per Pupil as determined by the ED001 collection. From ADMIN_PP in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	34	DEPP_PlantOpsAndMaintenance	int	4	10	Costs associated with plant operations and maintenance.	Not mapped to CEDS elements
FinanceFact	35	DEPP_Transportation	int	4	10	Transportation District Expenditures per Pupil as determined by the ED001 collection. From EXP_TRAD in the ED001 summary finance file.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
FinanceFact	36	DEPP_Other	int	4	10	Other District Expenditures per Pupil as determined by the ED001 collection. From EXP_SAD in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	37	DEPP_LandBldngsAndDebt	int	4	10	Land, Buildings, and Debt Service District Expenditures per Pupil as determined by the ED001 collection. From EXPLBDDDB in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	38	DEPP_TotalExpNoTuition	int	4	10	Total District Expenditures per Pupil, not including Tuitioned Out cost, as determined by the ED001 collection. From TOT_PP in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	39	DEPP_TotalTownExpenditures	int	4	10	Total Town Expenditures Per Pupil as determined by the ED001 collection. From TOT2_PP in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	40	SEPP_InstrStaffAndServices	int	4	10	Instructional Staff and Services Expenditures per Pupil at the state level as determined by the ED001 collection. From SSTAFF_P in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	41	SEPP_InstrSuppliesAndEquip	int	4	10	Instructional Supplies and Equipment Expenditures per Pupil at the state level as determined by the ED001 collection. From SINSTR_P in ED001 finance summary file.	Not mapped to CEDS elements
FinanceFact	42	SEPP_MediaServices	int	4	10	Improvement of Instruction and Educational Media Services Expenditures per Pupil at the state level as determined by the ED001 collection. From SMEDIA_P in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	43	SEPP_StudentSupportServices	int	4	10	Student Support Services Expenditures per Pupil at the state level as determined by the ED001 collection. From SSTUD_P in the ED001 summary finance file.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	ColLength	ColPrecision	ColumnDescription	CEDS_Element
FinanceFact	44	SEPP_AdminAndSupportServices	int	4	10	Administration and Support Services Expenditures per Pupil at the state level as determined by the ED001 collection. From SADMIN_P in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	45	SEPP_PlantOpsAndMaintenance	int	4	10	Per pupil costs associated with plant operations and maintenance at the state level. EXP_PLS in the ED001 summary source file.	Not mapped to CEDS elements
FinanceFact	46	SEPP_Transportation	int	4	10	Transportation Expenditures per Pupil at the state level as determined by the ED001 collection. From EXP_TRAS in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	47	SEPP_Other	int	4	10	Other Per Pupil expenses at the state level as determined by the ED001 collection. From EXP_SAS in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	48	SEPP_LandBldngsAndDebt	int	4	10	Land, Buildings, and Debt Service expenses per Pupil at the state level as determined by the ED001 collection. From EXPLBDSB in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	49	SEPP_TotalStateExpenditures	int	4	10	Total state-level Expenditures Per Pupil as determined by the ED001 collection. From STOTAL_P in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	50	PCT_LocalRevWithSchoolConstruction	numeric	5	4	Percent of Expenditures Source Local Revenue including School Construction. From LOC_D in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	51	PCT_FedRevWithSchoolConstruction	numeric	5	4	Percent of Expenditures Source Federal Revenue including School Construction. From FED_D in the ED001 summary finance file.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
FinanceFact	52	PCT_StateRevWithSchoolConstr	numeric	5	4	Percent of Expenditures Source State Revenue_includingSchoolConstruction. From STA_D in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	53	PCT_TuOthRevWithSchoolConstr	numeric	5	4	Percent of Expenditures Source Tuition and Other Revenue includingSchoolConstruction. From TUI_D in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	54	PCT_LocalRevNoSchoolConstr	numeric	5	4	Percent of Expenditures Source Local Revenue_excludingSchoolConstruction. From LOC_DW in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	55	PCT_FedRevNoSchoolConstr	numeric	5	4	Percent of Expenditures Source Federal Revenue_excludingSchoolConstruction. From FED_DW in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	56	PCT_StateRevNoSchoolConstr	numeric	5	4	Percent of Expenditures Source State Revenue_excludingSchoolConstruction. From the STA_DW in the ED001 summary finance file.	Not mapped to CEDS elements
FinanceFact	57	PCT_TuOthNoSchoolConstr	numeric	5	4	Percent of Expenditures Source Tuition and Other Revenue_excludingSchoolConstruction. From TUI_DW in the ED001 summary finance file.	Not mapped to CEDS elements
GradeLevelDim	1	GradeLevel_SK	int	4	10	Surrogate Key	Surrogate Key
GradeLevelDim	2	GradeLevelCode	char	3	0	A code or abbreviation for the type.	Shorter version of the TYPE field for the GradeLevelDimtable

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
GradeLevelDim	3	GradeLevelName	varchar	50	0	Grade levels offered by educational institutions. [CEDS Elements: Assessment Registration Grade Level When Assessed (001057), Entry Grade Level (000100), Exit Grade Level (001210), Grade Level When Assessed (000126), Grade Level When Course Taken (000125)]	[CEDS Elements: Assessment Registration Grade Level When Assessed (001057), Entry Grade Level (000100), Exit Grade Level (001210), Grade Level When Assessed (00012
GradeLevelDim	4	LastUpdated	datetime	8	23	Indicates the datetime that the record was last updated, either as a value from the source system for this data, or the datetime the row was added to or changed on this table (default).	Not mapped to CEDS elements
GradTargetsFact	1	CollectionInstanceid	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
GradTargetsFact	2	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
GradTargetsFact	3	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
MetricDim	1	Metric_SK	int	4	10	Surrogate key for the MetricDim table.	Surrogate key for the MetricDim table.
MetricDim	2	MetricCode	varchar	50	0	A short version of the metric name, required to be unique across the table rows.	Not mapped to CEDS elements
MetricDim	3	MetricDataType	varchar	20	0	The target report column data type, used by report or ETL code to translate to the correct final physical data type.	Shorter version of the TYPE field for the MetricDimtable
MetricDim	4	MetricName	varchar	80	0	Long user and report-friendly name of the MetricCode item being measured.	Not mapped to CEDS elements
MetricDim	5	MetricDesc	varchar	250	0	A lengthy and full textual description of the Metric, as appropriate or needed.	Not mapped to CEDS elements
NarrativeFact	1	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
NarrativeFact	2	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim

TableName	ColumnId	ColumnName	Data Type	CollLength	ColPrecision	ColumnDescription	CEDS_Element
NarrativeFact	3	CollectionInstancecd	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
NarrativeFact	4	Metric_SK	int	4	10	Surrogate key for the MetricDim table.	Surrogate key for the MetricDim table.
NarrativeFact	5	NarrativeText	varchar	4000	0	Textual explanation, summary or description answering a particular question as denoted by the metric_id in this row. Applies to a specific collection, school and district. If only at the district level, the school value is 'notset'.	Not mapped to CEDS elements
NonPubEnrollmentFact	1	CollectionInstancecd	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
NonPubEnrollmentFact	2	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
NonPubEnrollmentFact	3	Town_SK	int	4	10	Surrogate key for the TownDim table.	Surrogate key for the TownDim table.
NonPubEnrollmentFact	4	GradeLevel_SK	int	4	10	Surrogate Key	Surrogate Key
NonPubSchoolFact	1	CollectionInstancecd	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
NonPubSchoolFact	2	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
OrgAdminStaffDim	1	OrganizationAdminStaff_SK	int	4	10	Surrogate key for X_OrganizationAdminStaff table	Surrogate key for X_OrganizationAdminStaff table
OrgAdminStaffDim	2	AbstractNaturalKey	nvarchar	100	0	A pipe-delimited natural key for this table consisting of: <staff member's associated organization code> + + <title code> + + <title iteration number>	A pipe-delimited natural key for this table consisting of: <staff member's associated organization code> + + <title code> + + <title iteration number>
OrgAdminStaffDim	4	TitleName	nvarchar	200	0	Longer, more descriptive version of the staff title code.	Not mapped to CEDS elements
OrgAdminStaffDim	5	NamePrefix	nvarchar	60	0	Name prefix	Not mapped to CEDS elements
OrgAdminStaffDim	6	NameSuffix	nvarchar	40	0	Name suffix	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgAdminStaffDim	7	LastName	nvarchar	70	0	Last name	Not mapped to CEDS elements
OrgAdminStaffDim	8	MiddleName	nvarchar	70	0	Middle name	Not mapped to CEDS elements
OrgAdminStaffDim	9	FirstName	nvarchar	70	0	First name	Not mapped to CEDS elements
OrgAdminStaffDim	10	TelephoneNumber	nvarchar	48	0	Primary telephone number	Not mapped to CEDS elements
OrgAdminStaffDim	11	FAXNumber	nvarchar	48	0	FAX number	Not mapped to CEDS elements
OrgAdminStaffDim	12	EmailAddress	nvarchar	256	0	Email address	Not mapped to CEDS elements
OrgAdminStaffDim	13	EffectiveStartDate	datetime	8	23	The date that this version of the record begins.	Not mapped to CEDS elements
OrgAdminStaffDim	14	EffectiveEndDate	datetime	8	23	The date that this version of the record ends.	Not mapped to CEDS elements
OrgAdminStaffDim	15	IsCurrentFlag	bit	1	1	Indicates whether this is the current record in a time series of changes to this record.	Not mapped to CEDS elements
OrgDistrictDim	1	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
OrgDistrictDim	2	DistrictCode	varchar	10	0	A short version of the organization name.	Not mapped to CEDS elements
OrgDistrictDim	3	OrganizationTypeCode	varchar	50	0	Short version of the organization type name	Not mapped to CEDS elements
OrgDistrictDim	4	OrganizationTypeName	varchar	100	0	The type of organizational entity	Not mapped to CEDS elements
OrgDistrictDim	5	DistrictNumber	int	4	10	A numeric representation of the district code.	Not mapped to CEDS elements
OrgDistrictDim	6	DistrictName	varchar	120	0	The name of a non-person entity such as an organization, institution, agency, business, or program. [CEDS Elements: Organization Name (000204), Name of Institution (000191), Program Name (000626), Responsible Organization Name (000631)]	[CEDS Elements: Organization Name (000204), Name of Institution (000191), Program Name (000626), Responsible Organization Name (000631)]
OrgDistrictDim	7	InstitutionCode	varchar	10	0	Indication of the type of organization institution.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgDistrictDim	8	ParentOrganizationType	varchar	100	0	The type of organization for the parent org.	Not mapped to CEDS elements
OrgDistrictDim	9	ParentOrganizationName	varchar	120	0	Name of the district's parent organization.	Not mapped to CEDS elements
OrgDistrictDim	10	OperationalStatusName	varchar	100	0	Organization operating status value. [CEDS Elements: School Operational Status (000533), Local Education Agency Operational Status (000174)]	[CEDS Elements: School Operational Status (000533), Local Education Agency Operational Status (000174)]
OrgDistrictDim	11	NCESOperationalStatusCode	varchar	10	0	The NCES expression of the operational status for an organization.	Not mapped to CEDS elements
OrgDistrictDim	12	FedOperationalStatusCode	varchar	10	0	The Federal expression of the operational status for an organization.	Not mapped to CEDS elements
OrgDistrictDim	13	OpenDate	datetime	8	23	The date the organization was physically open.	Not mapped to CEDS elements
OrgDistrictDim	14	CloseDate	datetime	8	23	The date the organization was physically closed.	Not mapped to CEDS elements
OrgDistrictDim	15	CSDESystemOpenDate	datetime	8	23	Date SDE Organization Manager or SDE Administrator approves Organization open or opens an Org.	Not mapped to CEDS elements
OrgDistrictDim	16	CSDESystemCloseDate	datetime	8	23	Date SDE Organization Manager or SDE Administrator approves Organization close or closes an Org.	Not mapped to CEDS elements
OrgDistrictDim	17	StudentOpenDate	datetime	8	23	Date the organization was open to students.	Not mapped to CEDS elements
OrgDistrictDim	18	StudentCloseDate	datetime	8	23	Date the organization was closed to students.	Not mapped to CEDS elements
OrgDistrictDim	19	MailStreetNumberAndName	varchar	40	0	The street number and street name or post office box number of an address for the organization mailing address. [CEDS Element: Address Street Number and Name, ID: 000269]	Address Street Number and Name, ID: 000269]

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgDistrictDim	20	MailApmtRoomOrSuiteNum	varchar	30	0	The apartment, room, or suite number of a mailing address. [CEDS Element: Address Apartment Room or Suite Number, ID:000019]	Address Apartment Room or Suite Number, ID:000019]
OrgDistrictDim	21	MailBuildingSiteNumber	varchar	30	0	The number of the building on the site, if more than one building shares the same address. [CEDS Element: Building Site Number, ID:000602]	Building Site Number, ID:000602]
OrgDistrictDim	22	MailCity	varchar	30	0	The name of the city in which an address is located. [CEDS Element: Address City, ID:000040]	Address City, ID:000040]
OrgDistrictDim	23	MailPostalCode	varchar	17	0	A number that identifies each postal delivery area in the United States used as a portion of an address. [CEDS Element: Address Postal Code, ID:000214]	Address Postal Code, ID:000214]
OrgDistrictDim	24	MailCountyName	varchar	30	0	The name of the county, parish, borough, or comparable unit (within a state) in which an address is located. [CEDS Element: Address County Name, ID:000190]	Address County Name, ID:000190]
OrgDistrictDim	25	MailStateCode	varchar	20	0	Two-letter state code	Not mapped to CEDS elements
OrgDistrictDim	26	ShipStreetNumberAndName	varchar	40	0	The street number and street name or post office box number of an address. [CEDS Element: Address Street Number and Name, ID: 000269]	Address Street Number and Name, ID: 000269]
OrgDistrictDim	27	ShipApmtRoomOrSuiteNum	varchar	30	0	The apartment, room, or suite number of an address. [CEDS Element: Address Apartment Room or Suite Number, ID:000019]	Address Apartment Room or Suite Number, ID:000019]
OrgDistrictDim	28	ShipBuildingSiteNumber	varchar	30	0	The number of the building on the site, if more than one building shares the same address. [CEDS Element: Building Site Number, ID:000602]	Building Site Number, ID:000602]

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgDistrictDim	29	ShipCity	varchar	30	0	The name of the city in which an address is located. [CEDS Element: Address City, ID:000040]	Address City, ID:000040]
OrgDistrictDim	30	ShipPostalCode	varchar	17	0	A number that identifies each postal delivery area in the United States used as a portion of an address. [CEDS Element: Address Postal Code, ID:000214]	Address Postal Code, ID:000214]
OrgDistrictDim	31	ShipCountyName	varchar	30	0	The name of the county, parish, borough, or comparable unit (within a state) in which an address is located. [CEDS Element: Address County Name, ID:000190]	Address County Name, ID:000190]
OrgDistrictDim	32	ShipLatitude	varchar	20	0	The north or south angular distance from the equator that, when combined with longitude, reflects an estimation of where the school is physically situated. [CEDS Element: Latitude, ID:000606]	Latitude, ID:000606]
OrgDistrictDim	33	ShipLongitude	varchar	20	0	The east or west angular distance from the prime meridian that, when combined with latitude, reflects an estimation of where the school is physically situated. [CEDS Element: Longitude, ID:000607]	Longitude, ID:000607]
OrgDistrictDim	34	ShipStateCode	varchar	20	0	Two-letter state code	Not mapped to CEDS elements
OrgDistrictDim	35	TelephoneNumber	varchar	24	0	The telephone number including the area code, and extension, if applicable. [CEDS Element: Telephone Number, ID:000279]	Telephone Number, ID:000279]
OrgDistrictDim	36	FAXNumber	varchar	24	0	The FAX number including the area code, and extension, if applicable. [CEDS Element: Telephone Number, ID:000279]	Telephone Number, ID:000279]
OrgDistrictDim	37	EmailAddress	varchar	128	0	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the person or organization belongs. [CEDS Element: Electronic Mail Address, ID:000088]	Electronic Mail Address, ID:000088]

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgDistrictDim	38	Website	varchar	300	0	The Uniform Resource Locator (URL) for the unique address of a Web page. [CEDS Element: Web Site Address, ID:000704]	Web Site Address, ID:000704]
OrgDistrictDim	39	DistrictGroupName	varchar	30	0	Numeric ID that tells whether an organization is Public or Private.	Not mapped to CEDS elements
OrgDistrictDim	40	ProgramTypeName	varchar	50	0	Text representation of the organization program type. Valid values include 1 - Technical, 2 - Pre-Kindergarten, 3 - Alternative, 4 - Special Education, 5 - Part-time Magnet, 6 - Transition, 7 - Part-time Vocational Agriculture, 8 - Other.	Not mapped to CEDS elements
OrgDistrictDim	41	TownName	varchar	50	0	A municipality that is not its own district due to low population or other factors, which sends its students to a nearby district.	Not mapped to CEDS elements
OrgDistrictDim	42	TownNumber	int	4	10	A numeric expression of the feeder town provided by the upstream data source.	Not mapped to CEDS elements
OrgDistrictDim	43	DRGCode	char	1	0	Connecticut District Reference Groups (formerly Educational Reference Groups) used to group districts by socio-economic and other factors.	Not mapped to CEDS elements
OrgDistrictDim	44	NCESId	varchar	20	0	The unique identifier assigned to an LEA or school by the National Center for Education Statistics (NCES). The NCES Identifiers for LEA are 7 characters. The first two characters are the 2-digit FIPS State Code and the last five characters are unique within the state. The NCES Identifiers for LEAs are also known as the NCES Education Agency ID. The NCES identifiers for schools are 12 characters.	Shorter version of the TYPE field for the OrgDistrictDimtable
OrgDistrictDim	45	CollegeBoardId	varchar	20	0	The associated college board ID value assigned to the organization.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgDistrictDim	46	TitleOrgFlag	bit	1	1	Indicates whether the organization receives Title I assistance, or in the case of districts, whether there exists 1 or more schools within its purview that receives Title I assistance.	Not mapped to CEDS elements
OrgDistrictDim	47	LegalAppFlag	bit	1	1	Indicator that tells whether a school is approved by the Connecticut State Board of Education.	Not mapped to CEDS elements
OrgDistrictDim	48	PubAppFlag	bit	1	1	Indicator that tells whether a school should be displayed in the EBook report.	Not mapped to CEDS elements
OrgDistrictDim	49	CreatedBy	varchar	50	0	The user or process that created the Organization.	Not mapped to CEDS elements
OrgDistrictDim	50	EffectiveStartDate	datetime	8	23	The date that this version of the organization record begins.	Not mapped to CEDS elements
OrgDistrictDim	51	EffectiveEndDate	datetime	8	23	The date that this version of the organization record ends.	Not mapped to CEDS elements
OrgDistrictDim	52	IsCurrentFlag	bit	1	1	Indicates whether this is the current record in a time series of changes to this organization.	Not mapped to CEDS elements
OrgSchoolDim	1	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
OrgSchoolDim	2	SchoolCode	varchar	10	0	A short version of the school name.	Not mapped to CEDS elements
OrgSchoolDim	3	OrganizationTypeCode	varchar	50	0	Short version of the organization type name	Not mapped to CEDS elements
OrgSchoolDim	4	OrganizationTypeName	varchar	100	0	The type of organizational entity	Not mapped to CEDS elements
OrgSchoolDim	5	SchoolNumber	int	4	10	A numeric representation of the school code.	Not mapped to CEDS elements
OrgSchoolDim	6	SchoolName	varchar	120	0	The name of a non-person entity such as an organization, institution, agency, business, or program. [CEDS Elements: Organization Name (000204), Name of Institution (000191), Program Name (000626), Responsible Organization Name (000631)]	[CEDS Elements: Organization Name (000204), Name of Institution (000191), Program Name (000626), Responsible Organ

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	7	SchoolInstitutionCode	varchar	10	0	Indication of the type of organization institution.	Not mapped to CEDS elements
OrgSchoolDim	8	ParentDistrictCode	varchar	10	0	A short version of the district name.	Not mapped to CEDS elements
OrgSchoolDim	9	ParentDistrictNumber	int	4	10	A numeric representation of the 3 digit district code.	Not mapped to CEDS elements
OrgSchoolDim	10	DistrictName	varchar	120	0	The name of a non-person entity for LEA (District). [CEDS Elements: Organization Name (000204), Name of Institution (000191), Program Name (000626), Responsible Organization Name (000631)]	[CEDS Elements: Organization Name (000204), Name of Institution (000191), Program Name (000626), Responsible Organization Name (000631)]
OrgSchoolDim	11	CollegeBoardId	varchar	20	0	The associated college board ID value assigned to the organization.	Not mapped to CEDS elements
OrgSchoolDim	12	OperationalStatusName	varchar	100	0	Organization operating status value. [CEDS Elements: School Operational Status (000533), Local Education Agency Operational Status (000174)]	[CEDS Elements: School Operational Status (000533), Local Education Agency Operational Status (000174)]
OrgSchoolDim	13	NCESOperationalStatusCode	varchar	10	0	The NCES expression of the operational status for an organization.	Not mapped to CEDS elements
OrgSchoolDim	14	FedOperationalStatusCode	varchar	10	0	The Federal expression of the operational status for an organization.	Not mapped to CEDS elements
OrgSchoolDim	15	OpenDate	datetime	8	23	The date the organization was physically open.	Not mapped to CEDS elements
OrgSchoolDim	16	CloseDate	datetime	8	23	The date the organization was physically closed.	Not mapped to CEDS elements
OrgSchoolDim	17	CSDESystemOpenDate	datetime	8	23	Date SDE Organization Manager or SDE Administrator approves Organization open or opens an Org.	Not mapped to CEDS elements
OrgSchoolDim	18	CSDESystemCloseDate	datetime	8	23	Date SDE Organization Manager or SDE Administrator approves Organization close or closes an Org.	Not mapped to CEDS elements
OrgSchoolDim	19	StudentOpenDate	datetime	8	23	Date the organization was open to students.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	20	StudentCloseDate	datetime	8	23	Date the organization was closed to students.	Not mapped to CEDS elements
OrgSchoolDim	21	MailStreetNumberAndName	varchar	40	0	The street number and street name or post office box number of an address for the organization mailing address. [CEDS Element: Address Street Number and Name, ID: 000269]	Address Street Number and Name, ID: 000269]
OrgSchoolDim	22	MailApmtRoomOrSuiteNum	varchar	30	0	The apartment, room, or suite number of a mailing address. [CEDS Element: Address Apartment Room or Suite Number, ID:000019]	Address Apartment Room or Suite Number, ID:000019]
OrgSchoolDim	23	MailBuildingSiteNumber	varchar	30	0	The number of the building on the site, if more than one building shares the same address. [CEDS Element: Building Site Number, ID:000602]	Building Site Number, ID:000602]
OrgSchoolDim	24	MailCity	varchar	30	0	The name of the city in which an address is located. [CEDS Element: Address City, ID:000040]	Address City, ID:000040]
OrgSchoolDim	25	MailPostalCode	varchar	17	0	A number that identifies each postal delivery area in the United States used as a portion of an address. [CEDS Element: Address Postal Code, ID:000214]	Address Postal Code, ID:000214]
OrgSchoolDim	26	MailCountyName	varchar	30	0	The name of the county, parish, borough, or comparable unit (within a state) in which an address is located. [CEDS Element: Address County Name, ID:000190]	Address County Name, ID:000190]
OrgSchoolDim	27	MailStateCode	varchar	20	0	Two-letter state code	Not mapped to CEDS elements
OrgSchoolDim	28	ShipStreetNumberAndName	varchar	40	0	The street number and street name or post office box number of an address. [CEDS Element: Address Street Number and Name, ID: 000269]	Address Street Number and Name, ID: 000269]

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	29	ShipApmtRoomOrSuiteNum	varchar	30	0	The apartment, room, or suite number of an address. [CEDS Element: Address Apartment Room or Suite Number, ID:000019]	Address Apartment Room or Suite Number, ID:000019]
OrgSchoolDim	30	ShipBuildingSiteNumber	varchar	30	0	The number of the building on the site, if more than one building shares the same address. [CEDS Element: Building Site Number, ID:000602]	Building Site Number, ID:000602]
OrgSchoolDim	31	ShipCity	varchar	30	0	The name of the city in which an address is located. [CEDS Element: Address City, ID:000040]	Address City, ID:000040]
OrgSchoolDim	32	ShipPostalCode	varchar	17	0	A number that identifies each postal delivery area in the United States used as a portion of an address. [CEDS Element: Address Postal Code, ID:000214]	Address Postal Code, ID:000214]
OrgSchoolDim	33	ShipCountyName	varchar	30	0	The name of the county, parish, borough, or comparable unit (within a state) in which an address is located. [CEDS Element: Address County Name, ID:000190]	Address County Name, ID:000190]
OrgSchoolDim	34	ShipLatitude	varchar	20	0	The north or south angular distance from the equator that, when combined with longitude, reflects an estimation of where the school is physically situated. [CEDS Element: Latitude, ID:000606]	Latitude, ID:000606]
OrgSchoolDim	35	ShipLongitude	varchar	20	0	The east or west angular distance from the prime meridian that, when combined with latitude, reflects an estimation of where the school is physically situated. [CEDS Element: Longitude, ID:000607]	Longitude, ID:000607]
OrgSchoolDim	36	ShipStateCode	varchar	20	0	Two-letter state code	Not mapped to CEDS elements
OrgSchoolDim	37	TelephoneNumber	varchar	24	0	The telephone number including the area code, and extension, if applicable. [CEDS Element: Telephone Number, ID:000279]	Telephone Number, ID:000279]

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	38	FAXNumber	varchar	24	0	The FAX number including the area code, and extension, if applicable. [CEDS Element: Telephone Number, ID:000279]	Telephone Number, ID:000279]
OrgSchoolDim	39	EmailAddress	varchar	128	0	The numbers, letters, and symbols used to identify an electronic mail (e-mail) user within the network to which the person or organization belongs. [CEDS Element: Electronic Mail Address, ID:000088]	Electronic Mail Address, ID:000088]
OrgSchoolDim	40	Website	varchar	300	0	The Uniform Resource Locator (URL) for the unique address of a Web page. [CEDS Element: Web Site Address, ID:000704]	Web Site Address, ID:000704]
OrgSchoolDim	41	SchoolGroupName	varchar	30	0	Numeric ID that tells whether an organization is Public or Private.	Not mapped to CEDS elements
OrgSchoolDim	43	ProgramTypeName	varchar	50	0	Text representation of the organization program type. Valid values include 1 - Technical, 2 - Pre-Kindergarten, 3 - Alternative, 4 - Special Education, 5 - Part-time Magnet, 6 - Transition, 7 - Part-time Vocational Agriculture, 8 - Other.	Not mapped to CEDS elements
OrgSchoolDim	44	TownName	varchar	50	0	A municipality that is not its own district due to low population or other factors, which sends its students to a nearby district.	Not mapped to CEDS elements
OrgSchoolDim	45	TownNumber	int	4	10	A numeric expression of the feeder town provided by the upstream data source.	Not mapped to CEDS elements
OrgSchoolDim	46	ResCompNumber	int	4	10	Indicates whether an APSEP offers a Residential Component, and if so, what type of Residential Component.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	47	NonPublicSubtypeNumber	int	4	10	Appropriate for Non Public Elementary and Secondary Schools only. (NULL) Plain old non-public, 1 Facility is an Age Appropriate Community Based Program (AACBP, old institution code 82), 2 Facility is an Approved Private Special Education Program (APSEP, old institution code 61)	Shorter version of the TYPE field for the OrgSchoolDimtable
OrgSchoolDim	48	AdultEdServiceAreaNumber	int	4	10	Numeric value that identifies the adult education provider service area.	Not mapped to CEDS elements
OrgSchoolDim	49	AdultEdProvidersType	varchar	30	0	Type of adult education provider, including NON-LEA Providers, LEA Providers, and CEE.	Not mapped to CEDS elements
OrgSchoolDim	50	AdultEdPrograms	varchar	50	0	A listing of the adult education programs offered. (comma separated list): Citizenship, English as a Second Language (ESL), Basic Academic (ABE), GED, Adult High School Diploma, National External Diploma, Other	Not mapped to CEDS elements
OrgSchoolDim	51	TitleITypeName	varchar	30	0	If the school receives Title I assistance, this field indicates the name of the type of Title I. Possible values include 1- Targeted Assistance, 2 - Schoolwide (blank) - not Title I / not reported.	Not mapped to CEDS elements
OrgSchoolDim	52	CharterSchoolType	varchar	100	0	The category of charter school. [CEDS Element: Charter School Type, ID:000710]	Charter School Type, ID:000710]
OrgSchoolDim	53	CharterSchoolIndicator	bit	1	1	A school or agency providing free public elementary or secondary education to eligible students under a specific charter granted by the state legislature or other appropriate authority and designated by such authority to be a charter school. [CEDS Element: Charter School Indicator, ID:000039]	Charter School Indicator, ID:000039]

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	54	NCESId	varchar	20	0	The unique identifier assigned to an LEA or school by the National Center for Education Statistics (NCES). The NCES Identifiers for LEA are 7 characters. The first two characters are the 2-digit FIPS State Code and the last five characters are unique within the state. The NCES Identifiers for LEAs are also known as the NCES Education Agency ID. The NCES identifiers for schools are 12 characters.	Shorter version of the TYPE field for the OrgSchoolDimtable
OrgSchoolDim	55	LegalAppFlag	bit	1	1	Indicator that tells whether a school is approved by the Connecticut State Board of Education.	Not mapped to CEDS elements
OrgSchoolDim	56	TitleOrgFlag	bit	1	1	Indicates whether the organization receives Title I assistance, or in the case of districts, whether there exists 1 or more schools within its purview that receives Title I assistance.	Not mapped to CEDS elements
OrgSchoolDim	57	PubAppFlag	bit	1	1	Indicator that tells whether a school should be displayed in the EBook report.	Not mapped to CEDS elements
OrgSchoolDim	58	InterDistrictMagnetFlag	bit	1	1	Indicates whether the school is an interdistrict magnet school. These are schools designed to voluntarily reduce racial, ethnic and economic isolation which seek to attract students by offering a special, high-quality curriculum.	Not mapped to CEDS elements
OrgSchoolDim	59	IsVOAGCenterFlag	bit	1	1	Flag field indicating whether the school offers programs for vocational or agricultural services.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	60	IsCommPACTSchoolFlag	bit	1	1	Pre-existing public schools that have been granted autonomy in governance, budgeting and curriculum. Stands for COMMunity, Parents, Administrators, Children and Teachers.	Not mapped to CEDS elements
OrgSchoolDim	61	IsSingAccSysFlag	bit	1	1	Indicator of whether organization is a Single Cost Accounting System (SCAS) facility.	Not mapped to CEDS elements
OrgSchoolDim	62	IsOutOfStateFlag	bit	1	1	Indicates whether the organization is located outside the state.	Not mapped to CEDS elements
OrgSchoolDim	63	IsForProfitFlag	bit	1	1	Indicates whether the school is a for-profit organization.	Not mapped to CEDS elements
OrgSchoolDim	64	IsDesignatedFlag	bit	1	1	Indicates whether the school is considered designated. Appropriate for schools where grade 9 or higher is offered.	Not mapped to CEDS elements
OrgSchoolDim	65	IsPKISFlag	bit	1	1	Indicator for PKIS Application. Appropriate for Community PreK and Non Public Elementary and Secondary Schools where Grade PK is offered.	Not mapped to CEDS elements
OrgSchoolDim	66	NonPublicSchoolsReporterFlag	bit	1	1	Indicates whether the school is to be included into non-public school reporting (ED159). Appropriate for Community PreK and all Non Public Elementary and Secondary Schools regardless of Non_Public_Subtype_ID.	Not mapped to CEDS elements
OrgSchoolDim	67	GradesOfferedList	varchar	100	0	A comma-separated list of the grades offered by this organization.	Not mapped to CEDS elements
OrgSchoolDim	68	GradePKOfferedFlag	bit	1	1	The school offers grade PK (pre-kindergarten)	Not mapped to CEDS elements
OrgSchoolDim	69	GradeKHOfferedFlag	bit	1	1	The school offers grade KH (kindergarten half-day)	Not mapped to CEDS elements
OrgSchoolDim	70	GradeKFOfferedFlag	bit	1	1	The school offers grade KF (kindergarten full-day)	Not mapped to CEDS elements
OrgSchoolDim	71	GradeKEOfferedFlag	bit	1	1	The school offers grade KE (kindergarten extended-day)	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
OrgSchoolDim	72	Grade1OfferedFlag	bit	1	1	The school offers grade 1 (first grade)	Not mapped to CEDS elements
OrgSchoolDim	73	Grade2OfferedFlag	bit	1	1	The school offers grade 2 (second grade)	Not mapped to CEDS elements
OrgSchoolDim	74	Grade3OfferedFlag	bit	1	1	The school offers grade 3 (third grade)	Not mapped to CEDS elements
OrgSchoolDim	75	Grade4OfferedFlag	bit	1	1	The school offers grade 4 (fourth grade)	Not mapped to CEDS elements
OrgSchoolDim	76	Grade5OfferedFlag	bit	1	1	The school offers grade 5 (fifth grade)	Not mapped to CEDS elements
OrgSchoolDim	77	Grade6OfferedFlag	bit	1	1	The school offers grade 6 (sixth grade)	Not mapped to CEDS elements
OrgSchoolDim	78	Grade7OfferedFlag	bit	1	1	The school offers grade 7 (seventh grade)	Not mapped to CEDS elements
OrgSchoolDim	79	Grade8OfferedFlag	bit	1	1	The school offers grade 8 (eighth grade)	Not mapped to CEDS elements
OrgSchoolDim	80	Grade9OfferedFlag	bit	1	1	The school offers grade 9 (ninth grade)	Not mapped to CEDS elements
OrgSchoolDim	81	Grade10OfferedFlag	bit	1	1	The school offers grade 10 (tenth grade)	Not mapped to CEDS elements
OrgSchoolDim	82	Grade11OfferedFlag	bit	1	1	The school offers grade 11 (eleventh grade)	Not mapped to CEDS elements
OrgSchoolDim	83	Grade12OfferedFlag	bit	1	1	The school offers grade 12 (twelfth grade)	Not mapped to CEDS elements
OrgSchoolDim	84	CreatedBy	varchar	50	0	The user or process that created the Organization.	Not mapped to CEDS elements
OrgSchoolDim	85	EffectiveStartDate	datetime	8	23	The date that this version of the organization record begins.	Not mapped to CEDS elements
OrgSchoolDim	86	EffectiveEndDate	datetime	8	23	The date that this version of the organization record ends.	Not mapped to CEDS elements
OrgSchoolDim	87	IsCurrentFlag	bit	1	1	Indicates whether this is the current record in a time series of changes to this organization.	Not mapped to CEDS elements
SpecialEducationFact	1	CollectionInstanceld	int	4	10	Surrogate key for the DefCollectionInstance table	Surrogate key for the DefCollectionInstance table
SpecialEducationFact	2	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key
SpecialEducationFact	3	RptngDistrict_SK	int	4	10	The student's Reporting district	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	4	NexusDistrict_SK	int	4	10	The student's Nexus district	Not mapped to CEDS elements
SpecialEducationFact	5	Fac1School_SK	int	4	10	The student's Facility 1 organization.	Not mapped to CEDS elements
SpecialEducationFact	6	Fac2School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
SpecialEducationFact	7	HomeFacShool_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
SpecialEducationFact	8	Town_SK	int	4	10	Surrogate key for the TownDim table.	Surrogate key for the TownDim table.
SpecialEducationFact	9	GradeLevel_SK	int	4	10	Surrogate Key	Surrogate Key
SpecialEducationFact	10	SpEdLocPlacementReasonCode	varchar	50	0	Short version of the type.	Not mapped to CEDS elements
SpecialEducationFact	11	SpEdLocPlacementReasonName	varchar	100	0	Indicates why a student was placed in a specific school location. In most cases, the students are placed by the Planning and Placement Team (PPT).	Not mapped to CEDS elements
SpecialEducationFact	13	StudentLiveTypeCode	varchar	50	0	Short version of the type.	Not mapped to CEDS elements
SpecialEducationFact	14	StudentLiveTypeName	varchar	100	0	Identifies the type of location in which the student lives. Known as "Living" in CSDE nomenclature.	Not mapped to CEDS elements
SpecialEducationFact	15	NonEducBoundryCode	varchar	50	0	Categories of restriction placed on the district's ability to place students in the least restrictive environment (LRE).	Not mapped to CEDS elements
SpecialEducationFact	16	NonEducBoundryName	varchar	100	0	Short version of the type.	Not mapped to CEDS elements
SpecialEducationFact	17	Placement3to5Code	varchar	50	0	A short version of the code.	Not mapped to CEDS elements
SpecialEducationFact	18	Placement3to5Name	varchar	100	0	Learning placement setting for early childhood special education students age 3 through 5.	Not mapped to CEDS elements
SpecialEducationFact	19	PrimaryDisabilityCode	nvarchar	100	0	A code or abbreviation for the type.	Shorter version of the TYPE field for the SpecialEducationFacttable

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	20	PrimaryDisabilityName	nvarchar	200	0	The disability condition that best describes a person's impairment. [CEDS Element: Primary Disability Type, ID:000218]	Primary Disability Type, ID:000218]
SpecialEducationFact	21	ParentGuardianAddr1	varchar	40	0	The street number and street name or post office box number of an address. [CEDS Element: Address Street Number and Name, ID: 000269]	Address Street Number and Name, ID: 000269]
SpecialEducationFact	22	ParentGuardianAddr2	varchar	30	0	The apartment, room, or suite number of an address. [CEDS Element: Address Apartment Room or Suite Number, ID:000019]	Address Apartment Room or Suite Number, ID:000019]
SpecialEducationFact	23	ParentGuardianCity	varchar	30	0	The name of the city in which an address is located. [CEDS Element: Address City, ID:000040]	Address City, ID:000040]
SpecialEducationFact	24	ParentGuardianState	char	2	0	State code associated with this address.	Shorter version of the TYPE field for the SpecialEducationFacttable
SpecialEducationFact	25	ParentGuardianZIPCode	varchar	17	0	A number that identifies each postal delivery area in the United States used as a portion of an address. [CEDS Element: Address Postal Code, ID:000214]	Address Postal Code, ID:000214]
SpecialEducationFact	26	FAPE_3_5_Code	varchar	50	0	A code or abbreviation for the type.	Shorter version of the TYPE field for the SpecialEducationFacttable
SpecialEducationFact	27	FAPE_3_5_Name	varchar	100	0	The program in which children ages 3 through 5 attend and in which these children receive special education and related services. [CEDS Element: IDEA Educational Environment for Early Childhood, ID:000559]	IDEA Educational Environment for Early Childhood, ID:000559]
SpecialEducationFact	28	FAPE_ENV_Code	varchar	50	0	A code or abbreviation for the type.	Shorter version of the TYPE field for the SpecialEducationFacttable

TableName	ColumnId	ColumnName	DataType	ColLength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	29	FAPE_ENV_Name	varchar	100	0	The setting in which children ages 6 through 21, receive special education and related services. [CEDS Element: IDEA Educational Environment for School Age, ID:000535]	IDEA Educational Environment for School Age, ID:000535]
SpecialEducationFact	30	RelatedSvcsSpeechLangFlag	bit	1	1	Indicates whether the student was provided related services for speech/language pathology or audiology. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	31	RelatedSvcsInterpretingFlag	bit	1	1	Indicates whether the student was provided services for interpreting, related to deaf, hard of hearing, or dead-blind disability. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	32	RelatedSvcsPsychologicalFlag	bit	1	1	Indicates whether the student was provided services related to psychological or emotional disability. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	33	RelatedSvcsPhysOccupFlag	bit	1	1	Indicates whether the student was provided services for occupational or physical therapy. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	34	RelatedSvcsRecreationFlag	bit	1	1	Indicates whether the student was provided services for recreation. This includes assessment of leisure function, therapeutic recreation services, recreation programs in schools and community agencies and leisure education. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	35	RelatedSvcsSocialWorkFlag	bit	1	1	Indicates whether the student was provided social work related services. (CEDS Element ID:000273)	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	36	RekatedSvcsSchoolNurseFlag	bit	1	1	Indicates whether the student was provided school health or school nurse services. This means health services that are designed to enable a child with a disability to receive FAPE as described in the child's IEP. School nurse services are services provided by a qualified school nurse. School health services are services that may be provided by either a qualified school nurse or other qualified personnel.	Not mapped to CEDS elements
SpecialEducationFact	37	RelatedSvcsCouncilingFlag	bit	1	1	Indicates whether the student was provided counseling services, including rehabilitation counseling. Rehabilitation counseling services refers to services provided by qualified personnel in individual or group sessions that focus specifically on career development, employment preparation, achieving independence, and integration in the workplace and community of a student with a disability. (CEDS	Not mapped to CEDS elements
SpecialEducationFact	38	RelatedSvcsOrientMobilityFlag	bit	1	1	Indicates whether the student was provided orientation or mobility services. These include those provided to blind or visually impaired children by qualified personnel to enable those students to attain systematic orientation to and safe movement within their environments in school, home, and community. (CEDS Element ID:000273)	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	39	RelatedSvcsMedicalFlag	bit	1	1	Indicates whether the student was provided medical services. These are services provided by a licensed physician to determine a child's medically-related disability which results in the child's need for special education and related services. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	40	RelatedSvcsTransportationFlag	bit	1	1	Indicates whether the student was provided transportation services. These include travel to and from school and between schools, travel in and around school buildings, specialized equipment (such as special or adapted buses, lifts, and ramps), if required to provide special transportation for a child with a disability. (CEDS Element ID:000273)	Not mapped to CEDS elements
SpecialEducationFact	41	ExtracurricularActivitiesFlag	bit	1	1	Indicates whether the student has participated in school sponsored extracurricular activities with non-disabled peers since the last annual review.	Not mapped to CEDS elements
SpecialEducationFact	42	StudentInvitedtoPPTFlag	bit	1	1	Indicates whether the student was invited to the most recent team meeting.	Not mapped to CEDS elements
SpecialEducationFact	43	StudentAttendedPPTFlag	bit	1	1	Indicates whether the student attended the most recent team meeting.	Not mapped to CEDS elements
SpecialEducationFact	44	ExtndSchoolYearSvcsReqFlag	bit	1	1	Indicates if an extended school year is required for this student.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	45	ELLAllSpEdFlag	bit	1	1	An ELL student has a dominant language other than English and the LEA has determined that the student is not proficient in English on the basis of language proficiency testing, interviews and a review of the child's school records. Specific to SEDAC for Services Plan students only; ELL is otherwise updated nightly from PSIS for IEP students.	Not mapped to CEDS elements
SpecialEducationFact	46	IsHomeSchoolFlag	bit	1	1	Indicates whether the student attends their home school location for special education services.	Not mapped to CEDS elements
SpecialEducationFact	47	EvalDate	date	3	10	Date when the student was first evaluated to determine eligibility for special education and related services OR the date of the most recent evaluation to determine if the student remains eligible for special education and related services OR the documented date the parent and district agreed to waive the reevaluation. [CEDS Element: Individualized Program Service Plan Reevaluation Date, ID:00124	Individualized Program Service Plan Reevaluation Date, ID:00124
SpecialEducationFact	48	IEPStartDate	date	3	10	Date for the service with the most recent start date prior to October 1 when the most current IEP is implemented for data being collected as of October 1.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	49	PPTDate	date	3	10	Date when the student was first evaluated to determine eligibility for special education and related services by the PPT OR the date of the annual review of an IEP that reviews the educational progress and special education placement of a student. [CEDS Element: Individualized Program Date, ID:001232]	Individualized Program Date, ID:001232]
SpecialEducationFact	50	NexusEntryDate	date	3	10	Date that the student entered the nexus district.	Not mapped to CEDS elements
SpecialEducationFact	51	NexusExitDate	date	3	10	Date the student exited the nexus district.	Not mapped to CEDS elements
SpecialEducationFact	52	NDPHours	decimal	13	20	The number of [hours] per week that a student with disabilities is served in a regular classroom with his or her non-disabled peers. Maps to CSDE 'NDPhours'. [CEDS Element ID:001233]	Not mapped to CEDS elements
SpecialEducationFact	53	TotalSchoolHrsPerWeek	decimal	13	20	The number of hours per week the student is required to be in attendance. Total School Hours/Week includes homeroom, hallway passing time, lunch and recess, etc.	Not mapped to CEDS elements
SpecialEducationFact	54	SpEdHrs	decimal	13	20	The number of special education instructional hours, not including related services.	Not mapped to CEDS elements
SpecialEducationFact	55	ECProgramHours	decimal	13	20	The number of hours per week the child participates in an early childhood program which is not provided as a part of the IEP.	Not mapped to CEDS elements
SpecialEducationFact	56	AgeOct	int	4	10	Student's age on October 1st of the school year reported.	Not mapped to CEDS elements
SpecialEducationFact	57	AgeOSEP	int	4	10	Age value specific to the Office of Special Education Programs (OSEP) reflects kids with age of two with a value of age three.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	58	TWNDP	decimal	13	20	Time with Non-Disables Peers (TWNDP) is a percentage calculated as nondisabled peer hours / total school hours.	Not mapped to CEDS elements
SpecialEducationFact	59	TWNDP_3	int	4	10	For federally-defined TWNDP percentages, students are categorized into the following 3 groups for all students in grades K-12: Regular Class - 80-100: TWNDP is >= 79.000001%; Resource Room - 40-79: TWNDP is >= 40.000001% and <= 79%; Separate Class - 0-39: TWNDP is <= 40%.	Not mapped to CEDS elements
SpecialEducationFact	60	TWNDP_10	varchar	7	0	For state-defined TWNDP percentages, students are categorized into 10 groups in grades K-12, in increments of 10 percentage points.	Not mapped to CEDS elements
SpecialEducationFact	61	FAPE_3	int	4	10	For public school setting categories used for reporting: In District; Other Public School District; Other Settings/Private Settings	Not mapped to CEDS elements
SpecialEducationFact	62	FAPE_4	int	4	10	For state-defined educational placement categories used for reporting SPP Indicator 5 in APR: 79.000001 -100% TWNDP; 40.000001 -79% TWNDP; 0-40% TWNDP; Other Settings/Private Settings	Not mapped to CEDS elements
SpecialEducationFact	63	FAPE3	int	4	10	Indicates whether each eligible student with disabilities has received a Free Appropriate Public Education (FAPE) by their third birthday. This field is determined when a student is AGE 2 or 3 by comparing the ANNUAL REVIEW/PPT TO DEVELOP FIRST IEP to the DATE OF BIRTH and verifying the meeting date is on or before their third birthday.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	Collength	ColPrecision	ColumnDescription	CEDS_Element
SpecialEducationFact	64	FAPE3Late	int	4	10	The reason the requirement for FAPE at the age of 3 was not met. 1-Late Referral (less than 90 days before 3rd birthday); 2-Parental Choice (requested delay); 3-Other (when selected the SEDAC user must provide a response in the text box); 4-FAPE met via earlier PPT (when selected the SEDAC user must provide the date of initial PPT); 5-Child initially found not eligible by age 3 (re-referred to	Not mapped to CEDS elements
SpecialEducationFact	65	FAPE3LateOther	varchar	30	0	User-defined description used to supplement the REASON FAPE AT 3 NOT ON TIME INDICATOR field, when additional information is required.	Not mapped to CEDS elements
SpecialEducationFact	66	PSGOFlag	bit	1	1	Indicates whether secondary transition planning is in place. This includes Post-School Outcome Goal Statements (PSOGS) and Secondary Transition Measurable Annual Goals and Objectives being in place.	Not mapped to CEDS elements
SpecialEducationFact	67	PSGODate	date	3	10	The date after the student's 16th birthday when transition services were put in place.	Not mapped to CEDS elements
SpecialEducationFact	68	Excep_7	int	4	10	Collapse of primary disabilities into the 7 highest incident categories: LD, ID, ED, SLI, OHI, AU, Other.	Not mapped to CEDS elements
SpecialEducationFact	69	IEPType	varchar	15	0	Indicates whether the record is for service plan or IEP.	Not mapped to CEDS elements
SpecialEducationFact	70	OutsdAgncysInvitedPPT	char	2	0	Indicates whether the student attended the most recent team meeting.	Not mapped to CEDS elements
SpecialEducationFact	71	AcademicProgram	char	2	0	Type of program currently in effect for this student, for post-secondary goals and services.	Not mapped to CEDS elements
StudentDim	1	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key

TableName	ColumnId	ColumnName	Data Type	Collength	ColPrecision	ColumnDescription	CEDS_Element
StudentDim	2	DemogRaceEthnicity_SK	int	4	10	Surrogate key for the RaceEthnicityDim table.	Surrogate key for the RaceEthnicityDim table.
StudentDim	3	SASID	varchar	20	0	Connecticut State-Assigned Student Identifier	Not mapped to CEDS elements
StudentDim	4	LastName	varchar	35	0	The full legal last name borne in common by members of a family. [CEDS Element: Last or Surname, ID: 000174]	Last or Surname, ID: 000174]
StudentDim	5	FirstName	varchar	35	0	The full legal first name given to a person at birth, baptism, or through legal change. [CEDS Element: First Name, ID: 000115]	First Name, ID: 000115]
StudentDim	6	MiddleName	varchar	35	0	A full legal middle name given to a person at birth, baptism, or through legal change. [CEDS Element: Middle Name, ID: 000182]	Middle Name, ID: 000182]
StudentDim	7	Prefix	varchar	30	0	An appellation, if any, used to denote rank, placement, or status (e.g., Mr., Ms., Reverend, Sister, Dr., Colonel). [CEDS Element: Personal Title or Prefix, ID:000212]	Personal Title or Prefix, ID:000212]
StudentDim	8	GenerationCode	varchar	10	0	An appendage, if any, used to denote a person's generation in his family (e.g., Jr., Sr., III). [CEDS Element: Generation Code or Suffix, ID: 000121]	Generation Code or Suffix, ID: 000121]
StudentDim	9	Birthdate	date	3	10	The date on which a person was born. [CEDS Element: Birthdate, ID:000033]	Birthdate, ID:000033]
StudentDim	10	SexCode	varchar	20	0	Short version of the SexName	Not mapped to CEDS elements
StudentDim	11	SexName	varchar	20	0	Name of the sex of the student.	Not mapped to CEDS elements
StudentDim	12	RegId	int	4	10	Registration ID from PSIS registration associated with the given SASID during this time period.	Not mapped to CEDS elements
StudentDim	13	GradeCode	char	2	0	Grade reported at the time the registration record was recorded.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	DataType	ColLength	ColPrecision	ColumnDescription	CEDS_Element
StudentDim	14	DistrictStudentId	varchar	20	0	System student ID generated by the local district/school based system.	Not mapped to CEDS elements
StudentDim	15	SISLastName	varchar	35	0	Different from the student's legal last name, the SISLastName is one where the student's last name may have changed for multiple reasons since their birth certificate, and this is the name that is currently in use in the district's student information system (SIS).	Not mapped to CEDS elements
StudentDim	16	BirthTown	varchar	50	0	Town in which the student was born.	Not mapped to CEDS elements
StudentDim	17	MothersMaidenName	varchar	35	0	Maiden name of student's mother. Used as a tie-breaker data element when differentiating students with similar information.	Not mapped to CEDS elements
StudentDim	18	EffectiveStartDate	datetime	8	23	The date that this version of the student record begins.	Not mapped to CEDS elements
StudentDim	19	EffectiveEndDate	datetime	8	23	The date that this version of the student record ends.	Not mapped to CEDS elements
StudentDim	20	IsCurrentFlag	bit	1	1	Indicates whether this is the current record in a time series of changes to this organization.	Not mapped to CEDS elements
StudentDim	21	LastUpdated	datetime	8	23	Datetime the row was inserted.	Not mapped to CEDS elements
TCSStudentFact	1	Student_SK	int	4	10	StudentDim table surrogate key	StudentDim table surrogate key
TCSStudentFact	2	District_SK	int	4	10	Surrogate key for the OrgDistrictDim table	Surrogate key for the OrgDistrictDim table
TCSStudentFact	3	School_SK	int	4	10	Surrogate key for SchoolDim	Surrogate key for SchoolDim
TCSStudentFact	4	SnapshotDefId	int	4	10	Surrogate key for the SnapshotDef table.	Surrogate key for the SnapshotDef table.
TownDim	1	Town_SK	int	4	10	Surrogate key for the TownDim table.	Surrogate key for the TownDim table.
TownDim	2	TownNumber	int	4	10	A numeric expression of a town of residence.	Not mapped to CEDS elements

TableName	ColumnId	ColumnName	Data Type	ColLength	ColPrecision ⁱ	ColumnDescription	CEDS_Element
TownDim	3	TownName	varchar	50	0	Name of a town of residence. For feeder towns, this is a municipality that is not its own district due to low population or other factors, which sends its students to a nearby district.	Not mapped to CEDS elements
TownDim	4	LastUpdated	datetime	8	23	Indicates the datetime that the record was last updated, either as a value from the source system for this data, or the datetime the row was added to or changed on this table (default).	Not mapped to CEDS elements

ⁱ The decimal precision for numeric columns.